

**NOTE: Working Draft – Subject to Change**

# Oregon Universities Resumption Guidance


## Housing and Dining Plan

May 3, 2020

Oregon State University  
University of Oregon  
Southern Oregon University  
Oregon Tech  
Portland State University  
Eastern Oregon University  
Western Oregon University

# Residence Hall and Campus Dining - Fall 2020 Operating Strategies

Residential communities and dining are essential components to university readiness strategies. Reducing restrictions, even over phases, will likely result in increase in cases. Universities will be ready, with help from our county, as well as campus and community healthcare systems.



As part of the comprehensive university readiness plan Residence Halls/Communities and Dining Facilities will follow specific guidance to ensure:

1. maximum **prevention** efforts,
2. adequate **isolation** and **containment**, and
3. **care**



Prevent



Isolate



Contain



Care

# Prevention by Phase



Prevent

## Phase Zero (current state)

- ✓ Minimize density due to remote work executive order.
- ✓ Post clear signage in all common areas of residence halls and dining centers providing information on physical distancing, handwashing, face coverings, and urging individuals with symptoms to seek care and self-isolate.
- ✓ Encourage all on-campus residents and employees to use a cloth face covering in common areas of the building and in dining centers.
- ✓ Remove seating in open dining locations and offer to-go orders (and delivery where available) only.
- ✓ Reinforce meticulous glove use, handwashing, and cleaning protocols in kitchens and dining areas.
- ✓ Provide guidance to customers to maintain six feet of separation through signage and verbal direction for usage of for common areas in residence halls (lounges, study rooms, tv lounges, etc.).
- ✓ Increased cleaning protocols in residence halls and dining centers.
- ✓ Provide residential programming and education remotely.

# Prevention by Phase



Prevent

## Phase One:

- ✓ Residents shall be placed in rooms where each resident shall have no less than 64 square feet per resident.
- ✓ Post clear signage in all common areas of residence halls and dining centers providing information on physical distancing, handwashing, face coverings, and urging individuals with symptoms to seek care and isolate.
- ✓ Strongly encourage all on-campus residents and employees to use a cloth face covering in common areas of the building and in dining centers.
- ✓ Provide limited seating in open dining locations.
- ✓ Reinforce meticulous glove use, handwashing, and cleaning protocols in kitchens and dining areas.
- ✓ Provide guidance to customers to maintain six feet of separation through signage and verbal direction for usage of common areas in residence halls (lounges, study rooms, tv lounges, etc.).
- ✓ In-person events should be limited to no more than 10 individuals and only when the space for the event is large enough to provide six feet of separation between each person.
- ✓ Increased cleaning protocols in residence halls and dining centers.

*\*Assumes campus and community level prevalence testing in place*

# Prevention by Phase



Prevent

## Phase Two:

- ✓ Residents shall be placed in rooms where each resident shall have no less than 64 square feet per resident
- ✓ Post clear signage in all common areas of residence halls and dining centers providing information on physical distancing, handwashing, and urging individuals with symptoms to isolate
- ✓ Strongly encourage all on-campus residents and employees to use a cloth face covering in common areas of the building and in dining centers
- ✓ Provide limited seating in open dining locations
- ✓ Reinforce meticulous glove use, handwashing, and cleaning protocols in kitchens and dining areas
- ✓ Provide guidance to customers to maintain six feet of separation through signage and verbal direction for usage of common areas in residence halls (lounges, study rooms, tv lounges, etc.)
- ✓ In-person events should be limited to no more than 50 individuals and only when the space for the event is large enough to provide six feet of separation between each person
- ✓ Increased cleaning protocols in residence halls and dining centers

*\*Assumes campus and community level prevalence testing in place*

# Prevention by Phase



Prevent

## Phase Three:

- ✓ Residents shall be placed in rooms where each resident shall have no less than 64 square feet per resident
- ✓ Post clear signage in all common areas of residence halls and dining centers providing information on physical distancing, handwashing, and urging individuals with symptoms to isolate
- ✓ Strongly encourage all on-campus residents and employees to use a cloth face covering in common areas of the building and in dining centers
- ✓ Provide limited seating in open dining locations
- ✓ Reinforce meticulous glove use, handwashing, and cleaning protocols in kitchens and dining areas
- ✓ Provide guidance to customers to maintain six feet of separation through signage and verbal direction for usage of common areas in residence halls (lounges, study rooms, tv lounges, etc.)
- ✓ In-person events should be limited to no more than 50% of the rated occupancy of the space and only when the space for the event is large enough to provide six feet of separation between each person
- ✓ Increased cleaning protocols in residence halls and dining centers

*\*Assumes campus and community level prevalence testing in place*

# Isolation, Containment and Care



Isolate



Contain



Care

## **Isolation, Containment and Care Plan Includes:**

- ✓ Identify and hold isolation and self-quarantine spaces on-campus in number commensurate to the conditions, density, and configurations of the residential buildings.
- ✓ If symptoms do not merit hospitalization, residents with respiratory symptoms should self-isolate in identified isolation spaces and contact Student Health Services or community health care provider by phone or confidential portal message.
- ✓ Develop plan for delivery of Academic program to students in isolation spaces (likely remote)
- ✓ Establish food delivery protocols with Residential Dining Services. Food will be delivered on a regular basis that requires no contact between the delivery person and the isolated resident
- ✓ Custodial staff will use appropriate PPE when cleaning isolation spaces
  - ✓ Gloves
  - ✓ Mask (N-95, fitted)
  - ✓ Goggles/Face shield
  - ✓ Gown (disposable)
- ✓ Hall staff will provide for appropriate community care and programming
- ✓ Plan for testing and return to normal space once recovered.



## Resources:

Comprehensive Plan for University Residential Communities and Dining Centers provided to each institution.